



Report of Analysis

For: DDAGW-DW

Ohio EPA , Lazarus Government Center
Columbus, OH 43215

Attn: megan marhelski

Report Date: 9/23/2022

Bellbrook PFAS

Site: OH2901112
Location: EP001
Client Sample ID:
Collector: megan marhelski
Client info:
Lab/Field Comment:

Lab Sample ID: 22072512-01
Collection Date: 9/8/2022 9:19 AM
Matrix: Drinking Water
Matrix Type:

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.59	0.0124	ng/L	1	2.59	U- 9/15/2022
PFBS	560.1 (537.1)	4.85	4.85	ng/L	1	2.59	9/15/2022
PFHxS	560.1 (537.1)	< 2.59	1.85	ng/L	1	2.59	U- 9/15/2022
PFNA	560.1 (537.1)	< 2.59	0.154	ng/L	1	2.59	U- 9/15/2022
PFOA	560.1 (537.1)	< 2.59	1.38	ng/L	1	2.59	U- 9/15/2022
PFOS	560.1 (537.1)	< 2.59	2.30	ng/L	1	2.59	U- 9/15/2022

Site: OH2901112
Location: FRB
Client Sample ID: Trip Blank
Collector: megan marhelski
Client info:
Lab/Field Comment:

Lab Sample ID: 22072512-02
Collection Date: 9/8/2022 9:15 AM
Matrix: Water
Matrix Type: Reagent Water

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.68	0.00	ng/L	1	2.68	U- 9/15/2022
PFBS	560.1 (537.1)	< 2.68	0.00964	ng/L	1	2.68	U- 9/15/2022
PFHxS	560.1 (537.1)	< 2.68	0.0271	ng/L	1	2.68	U- 9/15/2022
PFNA	560.1 (537.1)	< 2.68	0.0225	ng/L	1	2.68	U- 9/15/2022
PFOA	560.1 (537.1)	< 2.68	0.00	ng/L	1	2.68	U- 9/15/2022
PFOS	560.1 (537.1)	< 2.68	0.00	ng/L	1	2.68	U- 9/15/2022



Report of Analysis

For: DDAGW-DW

Ohio EPA , Lazarus Government Center
Columbus, OH 43215

Attn: megan marhelski

Report Date: 9/23/2022

Bellbrook PFAS

Site: OH2901112 **Lab Sample ID:** 22072512-03
Location: RS002 **Collection Date:** 9/8/2022 11:08 AM
Client Sample ID: **Matrix:** Water
Collector: megan marhelski **Matrix Type:** Ground Water
Client info:
Lab/Field Comment:

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.50	0.00600	ng/L	1	2.50	U- 9/15/2022
PFBS	560.1 (537.1)	4.03	4.03	ng/L	1	2.50	9/15/2022
PFHxS	560.1 (537.1)	3.62	3.62	ng/L	1	2.50	9/15/2022
PFNA	560.1 (537.1)	< 2.50	0.00	ng/L	1	2.50	U- 9/15/2022
PFOA	560.1 (537.1)	3.90	3.90	ng/L	1	2.50	9/15/2022
PFOS	560.1 (537.1)	< 2.50	1.91	ng/L	1	2.50	U- 9/15/2022

Site: OH2901112 **Lab Sample ID:** 22072512-04
Location: RS003 **Collection Date:** 9/8/2022 11:35 AM
Client Sample ID: **Matrix:** Water
Collector: megan marhelski **Matrix Type:** Ground Water
Client info:
Lab/Field Comment:

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.59	0.106	ng/L	1	2.59	U- 9/15/2022
PFBS	560.1 (537.1)	4.67	4.67	ng/L	1	2.59	9/15/2022
PFHxS	560.1 (537.1)	< 2.59	2.25	ng/L	1	2.59	U- 9/15/2022
PFNA	560.1 (537.1)	< 2.59	0.0821	ng/L	1	2.59	U- 9/15/2022
PFOA	560.1 (537.1)	< 2.59	1.66	ng/L	1	2.59	U- 9/15/2022
PFOS	560.1 (537.1)	< 2.59	0.797	ng/L	1	2.59	U- 9/15/2022



Report of Analysis

For: DDAGW-DW

Ohio EPA , Lazarus Government Center
Columbus, OH 43215

Attn: megan marhelski

Report Date: 9/23/2022

Bellbrook PFAS

Site: OH2901112
Location: RS004
Client Sample ID:
Collector: megan marhelski
Client info:

Lab Sample ID: 22072512-05
Collection Date: 9/8/2022 12:05 PM
Matrix: Water
Matrix Type: Ground Water

Lab/Field Comment:

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.59	0.0224	ng/L	1	2.59	U- 9/15/2022
PFBS	560.1 (537.1)	6.50	6.50	ng/L	1	2.59	9/15/2022
PFHxS	560.1 (537.1)	3.30	3.30	ng/L	1	2.59	9/15/2022
PFNA	560.1 (537.1)	< 2.59	0.378	ng/L	1	2.59	U- 9/15/2022
PFOA	560.1 (537.1)	3.08	3.08	ng/L	1	2.59	9/15/2022
PFOS	560.1 (537.1)	6.91	6.91	ng/L	1	2.59	9/15/2022

Site: OH2901112
Location: RS005
Client Sample ID:
Collector: megan marhelski
Client info:

Lab Sample ID: 22072512-06
Collection Date: 9/8/2022 12:30 PM
Matrix: Water
Matrix Type: Ground Water

Lab/Field Comment:

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.59	0.0103	ng/L	1	2.59	U- 9/15/2022
PFBS	560.1 (537.1)	5.71	5.71	ng/L	1	2.59	9/15/2022
PFHxS	560.1 (537.1)	3.65	3.65	ng/L	1	2.59	9/15/2022
PFNA	560.1 (537.1)	< 2.59	0.196	ng/L	1	2.59	U- 9/15/2022
PFOA	560.1 (537.1)	< 2.59	1.94	ng/L	1	2.59	U- 9/15/2022
PFOS	560.1 (537.1)	2.67	2.67	ng/L	1	2.59	9/15/2022



Report of Analysis

For: DDAGW-DW

Ohio EPA , Lazarus Government Center
Columbus, OH 43215

Attn: megan marhelski

Report Date: 9/23/2022

Bellbrook PFAS

Site: OH2901112
Location: RS006
Client Sample ID:
Collector: megan marhelski
Client info:
Lab/Field Comment:

Lab Sample ID: 22072512-07
Collection Date: 9/8/2022 12:55 PM
Matrix: Water
Matrix Type: Ground Water

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.59	0.0262	ng/L	1	2.59	U- 9/15/2022
PFBS	560.1 (537.1)	6.07	6.07	ng/L	1	2.59	9/15/2022
PFHxS	560.1 (537.1)	3.19	3.19	ng/L	1	2.59	9/15/2022
PFNA	560.1 (537.1)	< 2.59	0.356	ng/L	1	2.59	U- 9/15/2022
PFOA	560.1 (537.1)	3.45	3.45	ng/L	1	2.59	9/15/2022
PFOS	560.1 (537.1)	8.07	8.07	ng/L	1	2.59	9/15/2022

Site: OH2901112
Location: RS008
Client Sample ID:
Collector: megan marhelski
Client info:
Lab/Field Comment:

Lab Sample ID: 22072512-08
Collection Date: 9/8/2022 10:31 AM
Matrix: Water
Matrix Type: Ground Water

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.68	0.00500	ng/L	1	2.68	U- 9/15/2022
PFBS	560.1 (537.1)	4.40	4.40	ng/L	1	2.68	9/15/2022
PFHxS	560.1 (537.1)	4.17	4.17	ng/L	1	2.68	9/15/2022
PFNA	560.1 (537.1)	< 2.68	0.0414	ng/L	1	2.68	U- 9/15/2022
PFOA	560.1 (537.1)	4.76	4.76	ng/L	1	2.68	9/15/2022
PFOS	560.1 (537.1)	< 2.68	1.96	ng/L	1	2.68	U- 9/15/2022



Report of Analysis

For: DDAGW-DW

Ohio EPA , Lazarus Government Center
Columbus, OH 43215

Attn: megan marhelski

Report Date: 9/23/2022

Bellbrook PFAS

Site: OH2901112
Location: RS007
Client Sample ID: MSD
Collector: megan marhelski
Client info:
Lab/Field Comment: MSD

Lab Sample ID: 22072512-09
Collection Date: 9/8/2022 10:05 AM
Matrix: Water
Matrix Type: Ground Water

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.59	0.00483	ng/L	1	2.59	U- 9/15/2022
PFBS	560.1 (537.1)	3.29	3.29	ng/L	1	2.59	9/15/2022
PFHxS	560.1 (537.1)	< 2.59	1.56	ng/L	1	2.59	U- 9/15/2022
PFNA	560.1 (537.1)	< 2.59	0.00	ng/L	1	2.59	U- 9/15/2022
PFOA	560.1 (537.1)	< 2.59	0.972	ng/L	1	2.59	U- 9/15/2022
PFOS	560.1 (537.1)	< 2.59	0.406	ng/L	1	2.59	U- 9/15/2022

Site: OH2901112
Location: RSB03
Client Sample ID:
Collector: megan marhelski
Client info:
Lab/Field Comment: BB3

Lab Sample ID: 22072512-10
Collection Date: 9/8/2022 1:20 PM
Matrix: Water
Matrix Type: Ground Water

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.63	0.0137	ng/L	1	2.63	U- 9/15/2022
PFBS	560.1 (537.1)	5.24	5.24	ng/L	1	2.63	9/15/2022
PFHxS	560.1 (537.1)	3.20	3.20	ng/L	1	2.63	9/15/2022
PFNA	560.1 (537.1)	< 2.63	0.208	ng/L	1	2.63	U- 9/15/2022
PFOA	560.1 (537.1)	3.25	3.25	ng/L	1	2.63	9/15/2022
PFOS	560.1 (537.1)	5.92	5.92	ng/L	1	2.63	9/15/2022



Report of Analysis

For: DDAGW-DW

Ohio EPA , Lazarus Government Center
Columbus, OH 43215

Attn: megan marhelski

Report Date: 9/23/2022

Bellbrook PFAS

Site: OH2901112
Location: RSB04
Client Sample ID:
Collector: megan marhelski
Client info:
Lab/Field Comment: BB4

Lab Sample ID: 22072512-11
Collection Date: 9/8/2022 9:33 AM
Matrix: Water
Matrix Type: Ground Water

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.59	0.0190	ng/L	1	2.59	U- 9/15/2022
PFBS	560.1 (537.1)	3.06	3.06	ng/L	1	2.59	9/15/2022
PFHxS	560.1 (537.1)	2.65	2.65	ng/L	1	2.59	9/15/2022
PFNA	560.1 (537.1)	< 2.59	0.474	ng/L	1	2.59	U- 9/15/2022
PFOA	560.1 (537.1)	< 2.59	2.10	ng/L	1	2.59	U- 9/15/2022
PFOS	560.1 (537.1)	8.71	8.71	ng/L	1	2.59	9/15/2022

Site: OH2901112
Location: RSB03 DUP
Client Sample ID: Duplicate
Collector: megan marhelski
Client info:
Lab/Field Comment: Duplicate of RSB03

Lab Sample ID: 22072512-12
Collection Date: 9/8/2022 1:20 PM
Matrix: Water
Matrix Type: Ground Water

Analyte	Method	Result	Value	DF	RL	Qual	Date
HFPO-DA(GenX)	560.1 (537.1)	< 2.63	0.00982	ng/L	1	2.63	U- 9/15/2022
PFBS	560.1 (537.1)	6.27	6.27	ng/L	1	2.63	9/15/2022
PFHxS	560.1 (537.1)	3.25	3.25	ng/L	1	2.63	9/15/2022
PFNA	560.1 (537.1)	< 2.63	0.201	ng/L	1	2.63	U- 9/15/2022
PFOA	560.1 (537.1)	3.20	3.20	ng/L	1	2.63	9/15/2022
PFOS	560.1 (537.1)	6.00	6.00	ng/L	1	2.63	9/15/2022

NA = not analyzed